

CORE GRASS 50

This product can be specified for all types of grass parking and driving areas, from overflow car parks to fire engine access routes. The grid is first filled with soil and then either seeded or turfed.



Max. weight on the grid = 238 tonnes

Our CORE Grass 50 provides an incredibly high load bearing, making it suitable for heavy vehicles and high traffic loads.

The panels are manufactured with a pure grade high density polyethylene which means it remains permanently elastic, enabling it to absorb immense pressure from heavy vehicles and livestock.



Each sheet also has an interlocking mechanism on all four sides which allows all adjacent panels to be connected in every direction. This creates a continuous matrix across the entire surface.



Available in both black and green with white 'plug-in' markers to create parking bays, this system will comply with current UK building regulations for commercial car parks.



For any additional information or specification queries please give our technical team a call on freephone 0800 118 2278.



Available in Black or Green

TECHNICAL SPECIFICATION

Material	Polyethylene
Sheet Size	(800 x 800mm) 0.64m²
Weight Per Panel	3.9 Kg
Cell Wall Thickness	3.5mm
Suitable Fill Material	Soil or Gravel if required
Depth of Cells	50mm (width 70mm)
Resistant Against	Ammonia / UV / Frost
Clipping Mechanism	Socket & Pin (all 4 sides)
Pinning Required	No

APPLICATIONS

- Grass Domestic Driveway
- Grass Parking Area
- Suitable for HGV Through-Traffic
- Disabled Friendly Access Route

BENEFITS

 DDA COMPLIANT	 ECO-FRIENDLY	 LOW COST
 NO MUD	 FREE DRAINING	 EASY INSTALL
 STABILISES GRASS	 STRONG	 SUDS COMPLIANT

